



85% Letter for Task Order 35 KEMRON Environmental Services
Jennifer Leonard

to:

Denise-T Page

02/09/2012 07:38 AM

Cc:

"John Mount", "David Bofinger", "Richard Berube"

Hide Details

From: "Jennifer Leonard" <jleonard@kemron.com>

To: Denise-T Page/R3/USEPA/US

Cc: "John Mount" <jmount@kemron.com>, "David Bofinger" <dbofinger@kemron.com>,
"Richard Berube" <rberube@kemron.com>



SDMS DocID

2140879

1 Attachment



Dimock Water 85 Ceiling Letter No.pdf

Denise,

Please see the attached 85% letter for the Dimock Residential Groundwater site, task Order 35.

Sincerely,
Jennifer

Jennifer Leonard

KEMRON Environmental Services

1359 A Ellsworth Industrial Boulevard

Atlanta, GA 30318

404-636-0928 Office

404-636-7162 Fax

404-601-6934 Direct

Know Safety, No Accidents



Before printing, think about ENVIRONMENTAL responsibility

The information contained in this email may be confidential and/or legally privileged. It has been sent for the sole use of the intended recipient(s). If the reader of this message is not an intended recipient, you are hereby notified that any unauthorized review, use, disclosure, dissemination, distribution, or copying of this communication, or any of its contents, is strictly prohibited. If you have received this communication in error, please reply to the sender and destroy all copies of the message. To contact us directly, send to postmaster@kemron.com. Thank you.

KEMRON

ENVIRONMENTAL SERVICES

1359-A Ellsworth Industrial Boulevard ■ Atlanta, GA 30318 ■ Telephone (404) 636-0928 ■ FAX (404) 636-7162 ■ <http://www.kemron.com>

February 8, 2012

Denise Paige
USEPA REGION 3
1650 Arch Street
Philadelphia, PA 19103-2029

SUBJECT: Dimock Residential Groundwater Site
CONTRACT NO. EP-S3-07-03
Contract Task Order 0703-03-0035
Section G1 (e); Notification of cost within 30 days will exceed 85% of ceiling price

Dear Ms. Murray,


In accordance with the above referenced contract Section G1 (e), KEMRON Environmental Services hereby provides written notice that the cost incurred have exceed 85% of the current funded ceiling.

Current Funded Ceiling

<u>Funded</u>	<u>Cost to date</u>	<u>Current Pending</u>	<u>Balance (including pending)</u>
\$ 85,000.00	\$ 47,341.84	\$ 28,734.59	\$ 8,923.58

Should you require additional information as a result of this notification, please contact me at (404) 601-6931.

Sincerely,



John Mount, Program Manager
KEMRON Environmental Services
(404) 601-6931 Direct
(404) 636-7162 Fax

cc: Project File,
Richard Fetzer, OSC
David Bofinger, Response Manager